To: CN=David Jewett/OU=ADA/O=USEPA/C=US@EPA[]

Cc: CN=Cynthia Sonich-Mullin/OU=CI/O=USEPA/C=US@EPA;CN=Deborah

McKean/OU=R8/O=USEPA/C=US@EPA[]; N=Deborah McKean/OU=R8/O=USEPA/C=US@EPA[]

From: CN=Jeanne Briskin/OU=DC/O=USEPA/C=US

**Sent:** Tue 9/4/2012 2:02:59 PM **Subject:** Re: draft minimum requirements

Hi David,

I reviewed the table over the weekend, and had difficulty understanding it clearly. Do you have some time today to review it with me?

thanks.

Jeanne

Jeanne Briskin
Office of Science Policy
Office of Research and Development
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N.W. (8104R)
Washington, D.C. 20460
(202) 564-4583 - office
(202) 565-2911 - fax
briskin.jeanne@epa.gov

Address for Deliveries: US EPA Ronald Reagan Building --Room 51144 Washington DC 20004

From: David Jewett/ADA/USEPA/US
To: Jeanne Briskin/DC/USEPA/US

Cc: Cynthia Sonich-Mullin/CI/USEPA/US@EPA, Deborah McKean/R8/USEPA/US@EPA

Date: 08/31/2012 10:38 AM

Subject: draft minimum requirements

Deb and I have drafted a minimum requirements table for monitoring well installation WQ/GW data collection and analysis activities at the SW PA prospective case study site. The table looks at minimum requirements for the EPA component of proposed field activities and does not include other activities proposed by other project partners (such as tracer tests proposed by USGS and NETL).

Let me know you thoughts.

[attachment "SW PA Prospective Minimum Requirement Options 083112 dm-dgj edits.docx" deleted by Jeanne Briskin/DC/USEPA/US]

- dgj -

David G. Jewett, Ph.D.

U.S. Environmental Protection Agency

Office of Research and Development

National Risk Management Research Laboratory Ground Water and Ecosystems Restoration Division Mail: P.O. Box 1198, Ada, Oklahoma 74821

Phone: 580.436.8560 Fax: 580.436.8703

E-mail: jewett.david@epa.gov

---- Forwarded by David Jewett/ADA/USEPA/US on 08/31/2012 09:31 AM -----

From: David Jewett/ADA/USEPA/US
To: Jeanne Briskin/DC/USEPA/US

Cynthia Sonich-Mullin/CI/USEPA/US@EPA, Deborah McKean/R8/USEPA/US@EPA

Date: 08/31/2012 08:08 AM

Subject:

Cc:

Just saw your notes. Will be sending the minimum requirements table shortly.

- dgj -

David G. Jewett, Ph.D.

U.S. Environmental Protection Agency
Office of Research and Development
National Risk Management Research Laboratory
Ground Water and Ecosystems Restoration Division
Mail: P.O. Box 1198, Ada, Oklahoma 74821

Phone: 580.436.8560 Fax: 580.436.8703

E-mail: jewett.david@epa.gov

From: Jeanne Briskin/DC/USEPA/US

To: Cynthia Sonich-Mullin/CI/USEPA/US@EPA
Cc: David Jewett/ADA/USEPA/US@EPA

Date: 08/30/2012 09:24 PM

Subject: Re: Pavillion pre-brief presentation

I hope the briefing went well. Sorry I couldnt join you. I imagine that this work held up the preparation of the one pager on the minimum requirements for our PA prospective case study. Do you have a sense of when that will be ready? Ashley Gels is working to set up the mtg w/ DOE and USGS, and we'll need it before hand.

thanks.

jeanne

-----Kelly Collins/CI/USEPA/US wrote: -----

To: Jim Martin/R8/USEPA/US@EPA, Lek Kadeli/DC/USEPA/US@EPA, Ramona Trovato/DC/USEPA/US@EPA, Robert Kavlock/DC/USEPA/US@EPA, Fred Hauchman/DC/USEPA/US@EPA, Jeanne Briskin/DC/USEPA/US@EPA, Alexis Lan/DC/USEPA/US@EPA, Jose Zambrana/DC/USEPA/US@EPA, Alice Gilliland/CI/USEPA/US@EPA, Holly Ferguson/CI/USEPA/US@EPA, Deborah McKean/R8/USEPA/US@EPA, David Jewett/ADA/USEPA/US@EPA From: Cynthia Sonich-Mullin/CI/USEPA/US

Sent by: Kelly Collins/CI/USEPA/US

Date: 08/30/2012 09:24AM

Cc: Ashley Gels/DC/USEPA/US@EPA, Kelly Collins/Cl/USEPA/US@EPA

Subject: Pavillion pre-brief presentation

All,

Please see the attached powerpoint for the 11am Paulson pre-brief. Comments are welcome.

(See attached file: Pav GW Investigation - Paulson Prebrief - 30Aug2012 - v3\_abg.pptx)

Regards,

Cindy

Cynthia Sonich-Mullin Director National Risk Management Research Laboratory Cincinnati, Ohio 45268

Ofc: 513-569-7923 Cell: 513-560-5043

[attachment "Pav GW Investigation - Paulson Prebrief - 30Aug2012 - v3\_abg.pptx" removed by Jeanne Briskin/DC/USEPA/US]